
Waterborne Finish Guide

Wear Resistance - Common Misconception

It has been a misconception that waterborne finishes are not as durable as oil-modified finishes.

In Taber test results, it's proven that waterborne finishes withstand the wear and tear of commercial and residential floors better than oil-modified finishes.



	Oil-Modified	Waterborne	Why Does It Matter?
Durability	**	*** ****	In industry standard Taber testing, Bona Waterborne finishes proved to be more durable, and resist wear and tear better than oil-modified finishes.
GREENGUARD Certification	NO	YES	The GREENGUARD Environmental Institute is an industry-independent, non-profit organization that establishes standards and testing for indoor products. Their goal is to improve public health by helping manufacturers build safer products. These products will not pollute the air with harmful levels of dangerous chemicals or particulates.
Color	Yellows Over Time	Non-Yellowing	Oil-modified finishes will yellow over time. Bona's waterborne finishes retain a clear, non-yellowing appearance.
Dry Time	8 - 24 Hours	2 - 3 Hours	Bona waterborne finishes dry faster than oil-modified finishes. The finish job will take less time and you can be back on your floor faster, providing a very convenient process.
Finish Coats Per Day	1	2	Multiple coats of Bona waterborne finishes can be applied in one day, getting you back on your floor faster.
Cure Time	14 - 30 Days	3 - 5 days**	Oil-modified finishes take 2 to 3 times longer to cure than Bona waterborne finishes. **Bona Traffic HD = 3 Days & Bona Mega ONE = 5 Days
Flammability	Highly Flammable	Non-Flammable	Oil-modified finishes contain petroleum distillates, which are combustible or flammable, whereas Bona's waterborne finishes do not.
VOC Levels	High	Low	Volatile Organic Compounds (VOCs) are emitted as gases from polyurethane finishes. Bona's waterborne finishes contain less than half the VOCs of oil-modified finishes and are GREENGUARD Certified.
Cost	\$\$ Short-Term Savings	\$\$\$ Long-Term Savings	Oil-modified finishes may cost slightly less than Bona waterborne finishes, but waterborne finishes outperform oil-modified finishes in all categories. An initial higher price point means premium durability and a low maintenance floor, which saves money long-term.







Waterborne Finish Guide

Best Practice - Choosing a Waterborne Finish

Did You Know?

- Acid-cure finishes give off formaldehyde (a carcinogen) during the curing process which lasts more than 30 days
- » Emit very high VOCs and harmful fumes causing the homeowner, pets and plants to vacate the home for 2-3 days
- Oil-modified and acid-cure finishes:
- » Both contain petroleum distillates which are combustible or flammable
- » Dry and cure times are two to three times longer than waterborne finishes

Bona Waterborne Finish Benefits:

- ✓ No need to vacate your home during the finish process
- Durable withstands daily foot traffic and scratches from pets
- ✓ No harmful fumes
- √ Beautiful highlights the true beauty and elegance of wood and won't amber over time
- √ GREENGUARD Certified

Durability	Product	Description	Sheen Levels	Recommended Uses
Good	Bona Novia ®	Clear, colorless and budget sensitive waterborne finish that highlights the true color of stained or natural wood floors.	Satin Semi-Gloss Gloss	Light Traffic Residential Floors
	Bona Mega ®	Enhances the natural beauty of wood color with exceptional build and clarity.	Extra Matte Satin Semi-Gloss Gloss	Light to Moderate Traffic Residential Floors
Better	Bona Mega ONE ™	Crystal clear finish with superb durability characteristics that highlight the true color of stained or natural wood floors.	Extra Matte Satin Semi-Gloss	Moderate Traffic
	Bona Mega Clear HD ®	Elevates the natural beauty of wood color with a outstanding build and clarity.	Satin Semi-Gloss Gloss	Commercial and Residential Floors
	Bona Traffic Naturale®	Preserves the true nature of any hardwood floor, staying as close to an untreated look and feel as possible.	Commercial Matte	Heavy Traffic Commercial and Residential Floors
Best	Bona Traffic®	World leading waterborne finish that provides excellent durability and exceptional scuff resistance while enhancing the beauty of hardwood floors.	Commercial Satin Commercial Semi-Gloss Commercial Gloss	Heavy Traffic Commercial and Residential Floors (also for recoating prefinished floors)
	Bona Traffic HD ®	Offers unsurpassed durability, superior chemical resistance and the ultimate in scuff and scratch resistance. Outperforms any finish in the industry.	Commercial Extra Matte Commercial Satin Commercial Semi-Gloss	Extremely Heavy Traffic Commercial and Residential Floors (also for recoating prefinished floors)



























Some things are better together.

The Bona® Waterborne Sealer & Finish System

A comprehensive system that gives you superior durability and beauty for your hardwood floors.



Tough, yet beautiful.



A system with endless possibilities

The Bona® Waterborne Sealer & Finish System It's tough. It's beautiful.

The world's best protection for hardwood floors

Like every truly great product idea, it's easy to understand and use. The truth is that some things are better together. So the world-leading waterborne Bona® Finishes perform even better with Bona® Sealers underneath. Bona Sealers don't just add coloration, they also work with Bona Finishes to add build and depth, improve adhesion and overall durability. Together, Bona Sealers and Finishes produce the best floor protection available.

That's why Bona protects millions of square feet of hardwood floors in the toughest and most prestigious places throughout the world. Choose the Bona System® and enjoy an exceptional result every time. It's as simple as that.



Bayswater Property
Bona NordicSeal® +
Bona Traffic Naturale®



NC Firehouse Museum Bona IntenseSeal® + Bona Traffic HD®



University of Tampa Custom Bona DriFast® Stain + Bona Traffic HD®

Some things are better together.

Bona® Waterborne Sealers More than good looking



Sealers in general add coloration. But with Bona® Waterborne Sealers, there's more beneath the surface.

System performance

Bona® Waterborne Sealers come in a range of five colorations from Bona NordicSeal® to Bona AmberSeal® that make wood look even more personal and beautiful. They reduce the potential for side-bonding and make Bona® Waterborne Finishes adhere even better to the floor, adding superior durability and protection. It's a smart and easy-to-use system!

Versatility

Our five sealers all have different color personalities offering your customers the latest choices for inspiration. From light colors for the freshest floor to rich amber for an oiled look with the benefits of a waterborne product. Once you've tried Bona Sealers, you'll never go back to anything else.

Bona® Waterborne Finishes The toughest available



Bona® Waterborne Finishes are second to none in the world.

Toughest in every class

Bona® Waterborne Finishes are the best hardwood floor protection for any level of wear. They protect any hardwood floor, from bedroom to busy international airport, including our most durable solution ... fast-curing Bona Traffic HD®.

Beauty, durability and value

Bona pioneered the development of waterborne finishes in the 1970s, and is now the industry-leader. Our VOC-compliant finishes provide the highest quality and cleanest finishing process available, assuring the protection of yours and your customer's health and the environment while offering the ultimate in durability and beauty for hardwood floors. Whether your customers are looking for shine, slip resistance or durability, Bona provides a solution for you. We offer optimal systems and premium results with our beautiful, durable and easy-to-use finishes. Our unwavering commitment to research and development has enabled Bona to drive the hardwood flooring industry's evolution.

Bona® Waterborne Sealers

Bona® Waterborne Sealers are low in VOCs and produce hardwood coloration ranging from whitewashed to rich amber. They are easy to use on all types of wood.

Our waterborne sealers are the foundation of exceptional hardwood floors. They are the floor's first layer of protection and provide build and depth making it come alive. They can preserve or enhance the natural color of a floor, or change it ... giving a floor a three-dimensional look and vibrancy that finish alone cannot achieve.



Bona NordicSeal®

- Provides a whitewashed look to any wood
- Reduces sidebonding and tannin bleed
- Excellent abrasion performance





Bona NaturalSeal®

- Enhances the look and depth of pure wood
- Reduces sidebonding and tannin bleed
- Excellent abrasion performance





Bona ClassicSeal®

- Exceptionally clear, highlighting the true color of wood
- Reduces sidebonding and tannin bleed
- The original waterborne sealer





Bona IntenseSeal®

- Creates a deep, natural tone for a vibrant look
- Reduces sidebonding and tannin bleed
- Excellent abrasion characteristics





Bona AmberSeal®


- Specifically formulated to provide an oil-based look
- Reduces sidebonding and tannin bleed
- Excellent abrasion characteristics



Bona® Waterborne Finishes

Bona® Waterborne Finishes are low in VOCs and offer superior wear resistance. They are the perfect choice for any hardwood floor, from bedroom to busy international airport. Bona Waterborne Finishes are easy to use and perform even better when used together with Bona Waterborne Sealers. Choose from nine sheen levels and durability needs ranging from heavy to light foot traffic.

Beauty, durability and value.



Durability	Product	Recommended Uses
15	Bona Domo ™	Light Use Residential Floors
	Bona Mega ®	Light to Moderate Use Residential Floors
1.	Bona Mega ONE ®	Moderate Use Light Commercial and Residential Floors
	Bona Traffic Naturale ®	Heavy Traffic Commercial and Residential Floors
	Bona Traffic HD® Anti-Slip	Heavy Traffic Commercial and Residential Floors
1,	Bona Traffic HD ®	Extremely Heavy Traffic Commercial and Residential Floors (also for recoating prefinished floors)



Bona Traffic HD®

- Unsurpassed durability and speed
- The ultimate for exceptional performance
- Commercial grade
- 3-day cure time

Sheens Available

Commercial Extra Matte

Commercial Satin

Commercial Semi-Gloss



Bona Traffic Naturale®

- Unique look and feel of pure wood
- Superior protection
- Commercial grade

Sheens Available

Commercial Matte



Bona Traffic HD® Anti-Slip

- Increased safety from accidental slips
- Meets ADA recommendation for accessible routes
- Commercial grade

Sheens Available

Commercial Satin



Bona Mega ONE®

- Crystal clear, one-component product
- Very forgiving application
- High build
- 5-day cure time

Sheens Available

Extra Matto

Extra Matte Satin Semi-Gloss



Bona Mega®

- Premium one-component solution
- Unique oxygen activated formula
- Easy to use with solid performance

Sheens Available
Extra Matte
Satin
Semi-Gloss
Gloss



Bona Domo™

- Easy application with roller and T-bar
- Non-yellowing
- Easy to abrade

Sizes Available

1-Gallon

5-Gallon

Sheens Available
Satin-Matte
Semi-Gloss

The Bona® Waterborne Sealer & Finish System

A world class system with endless possibilities



With **five sealers** and **six finishes**, the system provides freedom to combine different colorations and durabilities for tough, beautiful floors.



- + better look
- + better durability
- + better value
- + very low VOC
- + easy to use
- + endless possibilities

The Bona® Waterborne Sealer & Finish System

Bona US

24 Inverness Place East, Suite 100 Englewood, CO 80112 Bona.com • 800.872.5515 Item#4052L REV010322













Finish Guide



Choosing the Perfect Sealer

Hardwood Floor Sealer is applied to the surface of the wood floor to protect against stains and damage.



PALL-X COLOR Sealer

PALL-X COLOR sealer will react with most wood species to bring out the warm rich tones of any wood floor. This sealer is recommended to enhance the vibrancy and depth of a stain color over a wood floor.

Note: do not use over white or pastel stains.



PALL-X CLEAR Sealer

PALL-X CLEAR sealer is ideal when a clear, light tone look is desired. It is also recommended over white or pastel stains prior to the application of the final finish coats.





Red Oak White Oak





PALL-X WHITESEAL Sealer

PALL-X WHITESEAL sealer contains a small amount of white pigment that will produce a arctic or Scandinavian effect on most wood species. Ideal for lighter color wood species.



PALL-X NATURESEAL Sealer

PALL-X NATURESEAL sealer is a waterborne, 1-component sealer ideal for use on lighter color species or where an untreated wood appearance is desired.





Red Oak White Oak

Choosing the Perfect Finish

Hardwood Floor Finish creates lasting beauty and protects wood flooring from wear, dirt and moisture while giving the wood an attractive color and matte.



PALL-X GOLD Finish

PALL-X GOLD is a 2-component clear waterborne hardwood floor finish for commercial or residential use. Low odor and fully cured in 3 days which allows normal use of the wood floor to resume quicker than when choosing traditional oil modified polyurethanes.

Available in three popular sheen's: Semi-Gloss, Satin, & Matte.



PALL-X PURE Finish

PALL-X PURE is a 2-component clear waterborne hardwood floor finish for commercial or residential use. Small amounts of white pigment in this finish produce a ultra matte or untreated surface look to a wood floor.



White Oak



PALL-X POWER Finish

PALL-X POWER is a 1-component clear waterborne hardwood floor finish for commercial or residential use. Low odor and fully cured in 5 days which allows normal use of the wood floor to resume quicker than when choosing traditional oil modified polyurethanes.

Available in four popular sheen's: Gloss, Semi-Gloss, Satin, & Matte.



PALL-X 96 NEXGEN

PALL-X 96 NEXGEN is a 1-component clear waterborne hardwood floor finish for light commercial or residential use. Low odor and fully cured in 7 days which allows normal use of the wood floor to resume quicker than when choosing traditional oil modified polyurethanes.

Available in three popular sheen's: Semi-Gloss, Satin, & Matte.

Maintenance

WEEKLY: GENERAL CLEANING/DUSTING

Using the Pallmann Hardwood Floor Dusting Pad, lightly dust the floor to remove large debris. A vacuum may also be used for large areas. The Pallmann Hardwood Floor Cleaner can be used with the Pallmann Microfiber Pad on a weekly basis or as needed to thoroughly clean your floors. Clean stubborn spots, spills, and shoe marks by spraying the Pallmann Hardwood Floor Cleaner directly on the areas.

MONTHLY: INSPECTION

Inspect protector pads on furniture, and ensure that all walk-off mats are in proper locations. Visually inspect the wood floor for traffic patterns that may be present. If a traffic pattern is noticeable, it may be time to consult a wood flooring professional to discuss recoating options.

YEARLY: PROFESSIONAL DEEP CLEANING

Contact a professional hardwood flooring contractor to deep clean your wood floors using the Pallmann Clean Strong product once a year. Over time, accumulation of everyday residues such as oils, grease, and dirt will occur on the hardwood floor. The residues will act as an abrasive which may cause premature finish wear. The Pallmann Clean Strong product is a professional product that should only be used by a professional hardwood flooring contractor.

SEVERAL YEARS LATER: RECOAT

A new coat of finish may need to be applied to your wood floor several years after the initial application. This will ensure that you do not wear down the current finish to bare wood, causing expensive sanding procedures. Compared to re-sanding, re-coating is an inexpensive procedure that often can be completed in one day, with little to no dust in the home. We recommend using our dustless re-coating procedure PALL-X BOND and top coating with one of our waterborne finishes.

WHERE TO PURCHASE

Please visit **www.pallmann.us** and click "Floor Care" to search where to buy the PALLMANN Hardwood Floor Cleaning products near you or online.





Why end users are convinced of 2K Supra A.T.:

- · Long-lasting flooring thanks to optimized protection against scratches and high resistance
- Can be fully used after only 12 hours
- Very low emissions
- Increased slip resistance

Why contractors are enthusiastic about 2K Supra A.T.:

- · Excellent flow and wetting properties due to an optimized formula
- Excellent scratch-resistance thanks to innovative ceramic reinforcement
- Excellent resistance against chemicals, friction and wear
- · Can be fully used after 12 hours
- Very low emissions, EMICODE® EC1
- Coefficient of sliding friction > 0.5 according to DIN 18032 for sports flooring
- FIBA approved for basketball floors: variant satin

Special feature

The ceramic-reinforced parquet finish provides an extremely scratch-resistant surface and offers long-lasting protection.

Range of use

Perfect for demanding and high-traffic floors, such as in restaurants, shops and sports halls. Suitable for parquet, wooden floors as well as cork, linoleum and PVC coverings. Achieves the coefficient of sliding friction according to DIN 18032 for sports flooring. For extremely heavy use.

Application

- · Professionally sand and de-dust the substrate
- · Apply primer as specified in TI
- First coat of 2K Supra A.T. with the LOBATOOL Deluxe 120 roller or Microfibre 100-120 roller
- Intermediate sanding after 4 hours with LOBASAND P180 perforated pad or finer for the semi-matte version, or the P120 perforated pad for the matte version
- Second coat of 2K Supra A.T. with the LOBATOOL Deluxe 120 roller or Microfibre 100-120 roller
- Consumption quantity per application: 100-120 q/m² with the LOBATOOL Deluxe 120 roller or 80-100 g/m² with the Microfibre 100-120 roller







Article no. 11465

Available in satin and semi-gloss (5kg)

GISCODE W3/DD+









LOBA is always at your side and ensures your success with both advice and action. Our experienced application specialists will advise you personally with your projects. Our competent service team is quicklyon hand if you need practical support directly on site. So you can be on the safe side right from the start and know who you can rely on at all times.

Please consider the detailed technical information, application advices and set-up recommendations.

Technical information







2K InvisibleProtect

Invisible surface protection

Inspired by natural wood – invisible protection

If you walk on it barefoot, you'll just love it!

High-quality and innovative raw materials are the key to making LOBADUR 2K InvisibleProtect a truly unique surface coating. The wood looks and feels untreated and offers you all the protection of a finished floor. High durability and easy cleaning combine to make LOBADUR 2K InvisibleProtect the perfect surface treatment for all lovers of natural wood.



Why **end users** are convinced of 2K InvisibleProtect:

- Invisible protection the look, feel and color of the wood remain as if it was untreated
- Long-lasting natural beauty high resistance to mechanical wear and household chemicals
- · Simple and convenient cleaning
- Very low emission
- Time saving light use after 24 hours, fully resistant after only 5 days

Why **contractors** are enthusiastic about 2K InvisibleProtect:

- Excellent application performance safe and easy to use
- Full build-up in two layers, no primer needed
- Very low emission, EMICODE® EC1 PLUS R
- · Low VOC, GISCODE W2/DD+
- Certified anti-slip according to BGR 181 and DIN 51130, evaluation class R9

Special feature

LOBADUR 2K InvisibleProtect is a unique surface treatment. In addition to being invisible, it also feels incredibly like untreated wood. The latest generation of raw materials guarantees that the floor will be long-lasting and will not be polished up even under heavy wear.

Range of use

Suitable for wood and cork floors. For heavy traffic residential areas and commercial use.

Application

- · Sand and remove dust from the surface properly
- First coat 2K InvisibleProtect with LOBATOOL roller Deluxe 120
- Intermediate sanding after 8-10 hours with LOBATOOL perforated pad P180 or finer
- Second coat 2K InvisibleProtect with LOBATOOL roller Deluxe 120
- Optionally a third coat of 2K InvisibleProtect after another intermediate sanding
- The consumption per coat is approx. 110-130 g/m²









Art.-no. 11474



GISCODE W2/DD+










LOBA is always at your side and ensures your success with both advice and action. Our experienced experts are happy to support you individually with your projects. Our competent technical service team is at your disposal quickly, if you need hands-on assistance on site. You can always rely on us!

Do you have any questions? Do not hesitate to contact us:

Please consider the detailed technical information, application advices and set-up recommendations.



Technical Information



Why **end users** are convinced of EasyFinish:

- Long-lasting beauty of the floor high resistance to mechanical wear and household chemicals
- Custom choice of appearance available in satin, semi-gloss and gloss
- · Simple and convenient care and maintenance
- · Very low emission
- Time saving light use after 24 hours, fully cured after only 5 days

Why **contractors** are enthusiastic about EasyFinish:

- Easy 1K system combined with 2K performance
- Outstanding application qualities easy to use and safe, no lap marks
- · Suitable for almost all wood species as well as cork
- Very low emission, EMICODE® EC1
- EasyFinish semi-gloss combined with LOBACARE® SportCare meets the requirements for friction according to DIN 18032 for sports floors.

Special feature

Take it easy – LOBADUR® EasyFinish is known for its outstanding application qualities. In combination with the water-based filler EasyFillPro and the universal primer EasyPrime, contractors benefit from the highest level of safety and performance!

Range of use

Suitable for wood and cork floors. For heavy traffic residential areas and commercial use.















Application

- · Sand and remove dust from the surface properly
- The use of a primer is recommended (e.g. LOBADUR® EasyPrime)
- First coat of EasyFinish with LOBATOOL roller Deluxe 120 or Microfiber 100-120
- · Can be overcoated within 24 hours without intermediate sanding
- Intermediate sanding after 8-10 hours at the earliest with LOBATOOL PerforatedPad P120 or finer; alternatively intermediate sanding with LOBATOOL Sanding net P120 or finer
- Second coat of EasyFinish with LOBATOOL Roller Deluxe 120 or Microfibre 100-120
- Consumption per coat: 80 120 ml/m²

Art.-no. 11517

Available in satin (1 l, 5 l), semigloss (1 l, 5 l,10 l), glossy (5 l)

GISCODE W3+

LOBA is always at your side and ensures your success with both advice and action. Our experienced experts are happy to support you individually with your projects. Our competent technical service team is at your disposal quickly, if you need hands-on assistance on site. You can always rely on us!

Please consider the detailed technical information, application advices and set-up recommendations.

Do you have any questions? Do not hesitate to contact us:

Technical Information





Why **end users** are convinced of Viva:

- · Excellent resistance to household-related chemicals
- Long-lasting beauty of the floor due to high resistance to mechanical wear and line marks
- · Very low emission and very low solvent content
- · Time saving fully durable after only 5 days

Why **contractors** are enthusiastic about Viva:

- Excellent processing properties simple and safe, no lap marks
- · Highly resistant to plasticizers from parquet adhesives
- · Maximum safety for renovations and new installations
- Very low emission, EMICODE® EC1
- · Low VOC content, GISCODE W2+

Special feature

LOBADUR® Viva is compatible with all Connected Systems approved parquet adhesives from Wakol. This gives you maximum security for renovations and new installations, as chemical reactions between finish and adhesive are eliminated.

More at www.loba.de/en/connected-systems











Range of use

1K waterborne finish for wood floors. For normal to heavy traffic in residential areas and light commercial use. Excellent for renovations and new installations.

Application

- To avoid side bonding it is recommended to use a primer (e.g. LOBADUR® WS EasyPrime)
- First coat of Viva with LOBATOOL Roller Deluxe 120 or Microfibre 100-120
- · Recoating without intermediate sanding is possible within 24 hours
- Intermediate sanding after 8–10 hours at the earliest with LOBATOOL PerforatedPad P120 or finer; alternatively intermediate sanding with LOBATOOL Sanding net P120 or finer
- Second coat Viva with LOBATOOL Roller Deluxe 120 or Microfibre 100-120
- Consumption per coat: 100-120 ml/m²

Art.-no. 11519

Available in semi-gloss (1 l, 5 l, 10 l) and satin (5 l, 10 l)

GISCODE W2+

LOBA is always at your side and ensures your success with both advice and action. Our experienced experts are happy to support you individually with your projects. Our competent technical service team is at your disposal quickly, if you need hands-on assistance on site. You can always rely on us!

Please consider the detailed technical information, application advices and set-up recommendations.

Do you have any questions? Do not hesitate to contact us:

Technical Information





COLOR COLLECTIONS

TIMELESS

There's no end to the style when colors are this effortless and true.




135 Cherry*

140 Colonial Maple



150 Gunstock





139/239 Rosewood 123/223 Coffee Brown



171 Dark Walnut* 175 Jacobean*





124 Special Walnut*



125 Red Mahogany*



108/208 Royal Mahogany

INSPIRED

What's heritage is new again as these trusted neutrals give us a footing in the future.



110/210 Neutral





170 Weathered Oak*



172 Classic Gray*

186 Heritage Brown







181 Silvered Gray



183 Warm Gray



185 Aged Barrel

199 True Black



LEGACY

Bask in the glow of these golden-touched shades that remind us of life's richness.



112 Golden Oak*





145 Golden Pecan



102/202 Nutmeg



121/221 Golden Brown



130 Early American*



104/204 Chestnut



111 Provincial



137/237 Spice Brown



116/216 Antique Brown 128/228 Medium Brown



173 Espresso*

131/231 Ebony



Premium Wood Floor Finishes

PROFESSIONAL-GRADE QUALITY EVERY STEP OF THE JOB.

STAINS AND SEALERS

Quick Coat™ Two-Hour Penetrating Finish

Premium choice for rich color and performance. Penetrates deeply and is ready for a topcoat in just two hours. Provides unsurpassed beauty and durability in 36 prepackaged colors and 54 intermixed options. Compatible with all DuraSeal water-based and oil-modified finish systems.

Penetrating Wood Finish

Proven blend of oil and resin for exceptional durability and simple maintenance. Beautifies and seals hardwood floors with your choice of many popular wood tones.

DuraClear® Sealer

Fast-drying, tannin-blocking clear with excellent flow and leveling properties. Maximum VOC 125g/L. Lower VOCs with higher solids.

Fast Dry Sanding Sealer

Water-based sealer with exceptional flow and leveling, it seals wood to prevent the finish from penetrating. Compatible with all DuraSeal® water-based finishes.

Quick Dry Sealer

Polyurethane-borne sealer ideal for sealing natural wood floors.

FINISH

DuraClear Max

Premium durability in a nonambering, two-component, water-based finish. Best for heavy-traffic areas. Available in flat (the flattest finish in the industry), satin, semi-gloss and gloss.

DuraClear

Nonambering, one-component, water-based polyurethane offers commercial-strength durability in satin, semi-gloss and gloss with a maximum VOC of 125 g/L.

Water-Based Polyurethane

One-component, water-based polyurethane that applies as easily as DuraSeal Oil-Based Polyurethane. The traditional look and durability of an oil-based polyurethane made easier! Available in matte, satin, semi-gloss and gloss.

Polyurethane

Tough and self-leveling, it offers exceptional durability and stain resistance. Available in matte, satin, semi-gloss and gloss as well as vent and trim finish. Also available in 350 VOC and 450 VOC (1-gallon and 5-gallon cans, satin, semi-gloss and gloss only).

Paste Wax

A special blend of four premium waxes that gives hardwood floors the hand-rubbed luster of fine furniture. A proven classic, it also protects wood and lessens ongoing maintenance. Available in Neutral or Coffee Brown.

MAINTAIN

Trowelable Wood Filler

Water-based, colored filler for filling nail holes and covering minor imperfections in bare, unfinished wood. Available in Red Oak, White Oak, Maple/Ash/Pine, Brazilian Cherry and Walnut.

Wood Patch and Wood Putty

Provides excellent holding power between sandings. Both Wood Patch and Wood Putty are available in Red Oak, White Oak and Maple/Ash/Pine. Wood Putty is also available in all penetrating wood finish colors.

Dura Finish® Liquid Wax

This rich liquid wax blend adds a satin luster to natural and stained wood floors. Available in Neutral and Coffee Brown.

Renovator™ Cleaner and Reconditioner

A balance of solvent and resin that cleans and reconditions hardwood floors finished with DuraSeal Paste Wax or DuraSeal Penetrating Finish.

Wax and Cleaner

Proprietary blend of cleaning agents and wax removes scuff marks and built-up dirt while adding a soft sheen to waxed hardwood floors. Available in Neutral and Coffee Brown.

Hardwood Floor Cleaner

Solvent-free cleaner gently removes dirt and grime without leaving a residue behind. Great for wood floors with a clear nonwax finish. Compatible with all DuraSeal water-based finishes.

Floor Care System

Simple maintenance for hardwood floors with any DuraSeal
Polyurethane finish:

- ☐ 1 DuraSeal Hardwood Floor Cleaner (28 oz.)
- ☐ 1 Specially designed rotating mop head
- ☐ 1 Machine-washable microfiber cleaning pad with dust-attracting fringes
- ☐ 1 Heavy-duty telescoping handle


Distributed by:

To request a product demo or contact a sales rep, visit us at:

duraseal-wb.com | duraseal.com









uraSeal Quick Coat stain and water-based finishes e certified to GREENGUARD standards for low lemical emissions.

To learn more, visit greenguard.or

NEW INSPIRED COLORS

DuraSeal* monitors emerging color trends worldwide so you can always offer the very latest decorator looks without compromising on product performance.





181 Silvered Gray

182 Rustic Beige



184 Dark Gray



183 Warm Gray



185 Aged Barrel



186 Heritage Brown

Color swatches shown depict colors as accurately as possible but may vary slightly due to aging, lighting, surface texture and application. Floors in images have been water popped and finished using DuraClear Max Flat

RED OAK FLOOR WITH QUICK COAT WARM GRAY



To request a product demo or contact a sales rep, visit us at: duraseal-wb.com | duraseal.com





f ② @durasealwoodfinishes



DuraSeal Quick Coat Stain and Water-Based Finishes are certified to GREENGUARD standards for low chemical emissions.

To learn more, visit greenguard.org.

© DuraSeal 14150813D-99 DRSL228/18



TIMELESS INSPIRED LEGACY There's no end to the style when colors What's heritage is new again as these trusted Bask in the glow of these golden-touched shades are this effortless and true. that remind us of life's richness. neutrals give us a footing in the future. 135 Cherry* 150 Gunstock 143/243 Sedona Red 110/210 Neutral 101 Country White 181 Silvered Gray 112 Golden Oak* 141 Fruitwood* 145 Golden Pecan 140 Colonial Maple 133 English Chestnut* 124 Special Walnut* 170 Weathered Oak* 182 Rustic Beige 183 Warm Gray 102/202 Nutmeg 121/221 Golden Brown 130 Early American* 139/239 Rosewood 123/223 Coffee Brown 125 Red Mahogany* 172 Classic Gray* 184 Dark Gray 185 Aged Barrel 104/204 Chestnut 111 Provincial 137/237 Spice Brown 175 Jacobean* 108/208 Royal Mahogany 131/231 Ebony 199 True Black 128/228 Medium Brown 173 Espresso* 171 Dark Walnut* 186 Heritage Brown 116/216 Antique Brown Colors shown on Red Oak (left) & White Oak (right) Colors shown on Red Oak (left) & White Oak (right) Colors shown on Red Oak (left) & White Oak (right)